

Hamming-Codes

This programming assignment gives you the opportunity to implement a Hamming encoder and decoder. It counts 5% towards the final grade.

Instructions: You are allowed to work alone or in teams of two students (one submission per team suffices). Submit an archive containing at least two files: (i) a file *HammingCode.java* and (ii) a file *Explanation.pdf* which contains a short description of your solution (1 page is sufficient).

Problem Statement: Implement two static functions *void encode(String message, String filename)* and *String decode(String filename)* in *HammingCode.java* as follows:

- The function *encode* takes as parameters a String and a filename. It breaks each character in the String into two 4-bit parts and encodes each 4-bit part using the (7,4)-Hamming code *discussed in the lecture*². The encoded String is then stored under the specified filename.
- The function *decode* analogously decodes files encoded in (7,4)-Hamming code.
- For the encoded version, you may choose to store data in binary representation (more space efficient), or writing 0's and 1's as characters (probably easier for debugging).
- Obviously, your program should be able to decode messages containing 1-bit errors.

Possibly useful functions:

- `Integer.toBinaryString(String.charAt(i))` – Translates a char into a binary string
- `Character.toChars(int i)` – Translates an integer into a char
- `Integer.parseInt(s, 2)` – Parses a binary String into an integer

Submission: Monday, 20th of March 2017, 23:55 via Moodle.

² The Hamming code in the lecture uses first four data bits ($d_1 .. d_4$), then three parity bits ($p_1 = d_1 \text{ xor } d_2 \text{ xor } d_3$, $p_2 = d_2 \text{ xor } d_3 \text{ xor } d_4$, $p_3 = d_3 \text{ xor } d_4 \text{ xor } d_1$). In the literature, parity bits and data bits are often mixed